

AMILO Li 1718

Large package for little money

Issue June 2007

Pages 3

Imagine your next holiday: With the AMILO Li 1718 on your side you can enjoy your favorite music on the terrace of your holiday apartment. It is raining? Look forward to your 15.4-inch, crystal clear home cinema, your latest DVDs, popcorn and coke. You miss your friends? With the integrated Wireless LAN you can chat with them or write them an e-mail and attach the pictures of your wonderful holiday. You want to go out? Go online and check the Internet, which restaurant would be the best for your special taste.

With the AMILO Li 1718 you have a basic but reliable mobile solution, whether you are at home or on the move.

Features

- Intel® mobile technology with Intel® Core™ 2 Duo, Intel® Core™ Duo, Intel® Pentium Dual Core™ or Intel® Celeron® M Processor
- 15.4" TFT WXGA display with BrilliantView technology for amazing luscious colors
- ATI Radeon® Xpress 200M (shared graphics) up to 256MB HyperMemory™
- 4 USB ports provide you with outstanding connection options
- Built-in Multi format DVD burner with double layer support to enjoy your films and music on the move
- Up to 2GB DDR2 SDRAM in two memory SO-DIMM slots
- Windows Vista™ Home Basic or Windows Vista™ Home Premium and Application Software



Operating system

Windows Vista™ Home Basic or
Windows Vista™ Home Premium¹

**Fujitsu Siemens Computers recommends
Windows Vista™ Home Premium****Optional Application Software**

Microsoft® Works
Nero 7 Essentials (CD/DVD burning Software)
Adobe Reader
Norton Internet Security Suite or Norman Anti-Virus
Country specific Internet Service Providers

Manual, Safety Guide and Warranty Guide

Drivers and Utility

Drivers and Utility DVD included (optional)
Updates downloadable at
<http://www.fujitsu-siemens.com>

System, processor, architecture

Chipset: ATI RC415ME + SB460

CPU: Intel® Celeron® M processors with 533MHz FSB:
- Celeron® M 430 / 1.73GHz / 1MB 2nd level cache
- Celeron® M 440 / 1.86GHz / 1MB 2nd level cache
- Celeron® M 520 / 1.6GHz / 1MB 2nd level cache

Intel® Pentium Dual Core™ processor with
533MHz FSB
- T2060 / 1.6GHz / 1MB 2nd level cache

Intel® Core™ Duo processors with 533 MHz FSB
- T2350 / 1.86GHz / 2MB 2nd level cache

Intel® Core™ 2 Duo processors with 667MHz FSB
- T5300 / 1.73GHz / 2MB 2nd level cache
- T5500 / 1.66GHz / 2MB 2nd level cache

Memory

2 SO-DIMM memory slots (no memory on board)
512MB DDR2 533/667MHz
1GB DDR2 533/667MHz

Storage devices / drives**HDD:**

80, 120 and 160GB SATA (5400rpm) hard disk

ODD:

8x Multi-format DVD burner with double layer
- Read speed: CD-ROM 24x, DVD-ROM 8x
- Write speed: CD-R 24x, CD-RW 16x, DVD+R 8x, DVD-R
8x, DVD+RW 6x, DVD-RW 6x, DVD+R DL
(Double Layer 8.5GB) 2,4x, DVD-R DL
(Double Layer 8.5GB) 4x

Display

BrilliantView

Panel size: 15.4" TFT WXGA, 1280 x 800 pixel
Compliance with standards ISO 13406-2 Class II

ACPI functions

S1 stand by (LCD off)
S3 save to RAM
S4 save to disk
S5 soft off

Graphics

ATI Radeon Xpress 200M
with up to 256MB HyperMemory™

I/O Interfaces

4x USB (version 2.0)
1x CRT (VESA compatible)
1x DC-In
1x RJ11 for modem 56 Kbps (.V92)
1x RJ45 for LAN (10/100)
1x line out shared with headphone out (stereo)
1x line in shared with microphone in (mono)

Communications

Built-in 56Kbps, .V92 fax modem (MDC 1.5)
10/100Mbps LAN
Integrated wireless LAN (WLAN) solution 802.11b/g
Speeds up to 54Mbps
Industry standard wireless LAN security support
Excellent performance through per packet antenna
selection
For use in BE, CH, DK, DE, EE, FI, FR, EL, IE, IS,
IT, LI, LV, LT, LU, MT, NL, NO, PL, AT, PT, SE, SK,
ES, CZ, HU, UK, CY, NL

Audio

Support of HD audio for SP/DIF output with up to 7.1 channels, 1 built-in high quality speaker, microphone in combined with stereo line-in, headphone out shared with line-out, sound volume controlled by Hot Keys

Launch Keys

launch the following applications:

- WLAN on/off
- Internet browser
- Silent mode (reduce noise level / fan speed, by reducing the CPU & VGA performance)
- Power on

Hot Keys

The notebook uses hotkeys or key combinations for:

- Fn-F3 Mute
- Fn-F4 Display toggle, switches display output between display screen and external monitor or to dual view
- Fn-F5 raise volume
- Fn-F6 reduce volume
- Fn-F7 raise display brightness
- Fn-F8 reduce display brightness

Pointing devices & control buttons

Touchpad with a left and right mouse button

Power button / lid switch

Security

User and supervisor password

Kensington Lock

Power system

Li-Ion battery 3 cells, 11.1V / 4400mAh
Approximately 1h battery runtime, depending upon usage¹
or

Li-Ion battery 6 cells, 11.1V / 4400mAh
Approximately 2.5hrs battery runtime, depending upon usage¹

Dynamic charge supported, ACPI 2.0 supported
External universal AC adapter: 110 – 240 V AC, 50 - 60Hz, output: 65 / 90W² with 20V DC

Dimensions and weight

355mm (W) x 255.8mm (D) x 24 – 34mm (H)
Approximately: 2.7 kg³

Operating conditions

operational: 15° - 35°C (ambient temperature)
10% to 90% relative humidity, non-condensing

Certifications

CE Marking
R&TTE (WLAN)

Warranty

Country specific terms

Accessories (optional)

AC adapter
2nd battery
Car charger
USB Floppy Drive
Carrying Devices

- 1) Depending on configuration.
- 2) Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Recharge time varies depending on usage. The recharge capacity may diminish after some months so that the battery lifetime as well as operating time can not be assured.
- 3) AC Adapter output depends on actual configuration.
- 4) Weight may vary depending on actual configuration.