















[Gospodara Vučića 129, 11 000 Beograd]
 [Tel. 011 242 55 91, 386 20 44, 386 20 45]
 [Fax. 011 386 07 50] [www.almaks.rs, almaks@almaks.rs]









[Raiffeisenbank a.d. 265-1630310004541-72]
 [PIB SR100571552, Šif. delatnosti. 74203]
 [Mat.br. 06698182, Reg.br. 01806698182]

Navedene cene su bez PDV-a. Radi ostvarivanja **POPUSTA, kontaktirajte nas!**

Proizvođač	Opis	Ident	Cena	Foto
Klasicne box kamere bez optike				
	Kolor kamera visoke rezolucije, 520TVL, 1/3" Sony DSP CCD, 0.3 lux, audio, Auto Iris Lens Control, 12VDC-70mA	VDS-HCD-605	52,00	
	Kolor kamera visoke rezolucije, 520TVL, 1/3" Sony DSP CCD, 0.3 lux, audio, Auto Iris Lens Control, 230VAC	VDS-HCD-605AC	64,00	
	Kolor kamera, 540TVL, 1/3" CCD Sony, 0.001Lux, Back Light Compensation, Auto White Balance, AI, 12VAC, 400mA	AMD-LBCGSHL	79,99	
	Kolor(Day)-B/W(Night) kamera visoke rezolucije, 560TVL, 1/3" Sony CCD, 0.2 lux Col, ugrađen OSD menu, detektor pokreta, Privacy masking, BLC, 12Vdc, 130mA	VDS-HCD-705	93,00	
	Kolor(Day)-B/W(Night) kamera visoke rezolucije, 540TVL, 1/3" Sony Super HAD CCD, 0.3 Col/ 0.002 B/W lux, ugrađen OSD, BLC, AGC,DNR,detektor pokreta.AI,230 VAC	APR-C4230SR	124,70	
	Kolor(Day)-B/W(Night) kamera visoke rezolucije, 580TVL, 1/3" Samsung W4 CCD, 0.15 Col/ 0.0006 B/W lux, ugrađen OSD menu, detektor pokreta, Sens-Up x 256, Privacy Masking, BLC, HLC, štedi 70% prostora prilikom snimanja, 12Vdc, 150mA	VDS-HCD-906	139,00	
	Kolor zoom kamera, 420TVL, 1/4" CCD Sonz, 0.1lux, AWB, sa optikom AI VF 3.6 - 97,2mm, Zoom 27x optički, 12Vdc, 500mA	AMD-LX27S	135,00	
	Kolor(Day)-B/W(Night) kamera visoke rezolucije, 580TVL, 1/3" Sony super had CCD, 0.05 Col/0.0002 B/W lux, ugrađen OSD menu, detektor pokreta, Privacy Masking, BLC, HLC, DIS, WIV DSP, 3D noise filter, 230VAC	SAM-SDC-425PH	129,99	
	Kolor day/night kamera, 530TVL, 0.002lux, 1/3", sa optikom Sony CCD Super HAD, auto iris, BLC, AGC,OGC, detektor pokreta, varifokal 3-9mm, 24VAC/12VDC	SAM-SOC-4030P	177,60	
	Kolor(Day)-B/W(Night) kamera visoke rezolucije, 530TVL, 1/3" Sony super had CCD, 0.3 Col/ 0.01 B/W lux, ugrađen OSD menu, detektor pokreta, ICR (IR cutfilter removal), Privacy Masking, BLC, HLC, SSNR funkcija štedi prostor HDD-a prilikom snimanja, 230VAC	SAM-SDN-550PH	253,45	
	Kolor(Day)-B/W(Night) kamera visoke rezolucije, 560Col/700B&W TVL, 1/2" vertical double IT CCD, 0.01 Col/ 0.0003 B/W lux, ugrađen OSD menu, detektor pokreta, ICR (IR cutfilter removal), Privacy Masking 8 zones, BLC, HLC, SSNR II funkcija štedi prostor HDD-a prilikom snimanja, 230VAC	SAM-SHC-745PH	656,75	
	Kolor(Day)-B/W(Night) kamera visoke rezolucije, 550TVL, 1/3" Sony super HAD CCD, 0.002 lux Col, ugrađen OSD menu, detektor pokreta, Privacy zone masking, mirror function, DNR, BLC, 12VDC	HON-HCC-690P	192,00	
	Kolor(Day)-B/W(Night) kamera visoke rezolucije, 550TVL, 1/3" Sony super HAD CCD, 0.02 lux Col, TDN, BLC, BMB(black masking BLC) anti color roling, IR Cut filter, 24VAC/12VDC	HON-HCC-685PT	251,00	
Dome kamere sa optikom				
	Kolor unutrašnja dome kamera, 400TVL, 1/3" CCD Sharp, 0.6lux, 12Vdc, sa optikom 3.6mm	VDS-D-200	29,99	
	Kolor unutrašnja dome kamera, 420TVL, 1/3" CCD Sony, 1 lux, BLC, AWB, sa optikom 3.6mm, crno kućište, 12Vdc, 150mA	AMD-LCDSS	33,00	
	Kolor unutrašnja dome kamera, 420TVL, 1/3" CCD Sony, 0.8 lux, BLC, AWB, sa optikom 4.0-9.0mm VF, crno kućište, 12Vdc, 150mA	AMD-LCDHS	52,50	

Video Sec	Kolor unutrašnja dome kamera, 520TVL, 1/3" SONY DSP CCD, 0,2 lux, BLC, AWB, sa optikom 3.6mm, 12VDC-100mA	VDS-HD-600	51,00	
amadeo	Kolor antivandal dome kamera, 480TVL, 1/3" CCD Sony , 1 lux, sa optikom 3.5-8.0mm VF DC auto iris, 12Vdc, 150mA	AMD-LVDBSH	79,50	
amadeo	Kolor antivandal dome kamera, 420TVL, 1/3" CCD Sony , 0,8 lux, sa optikom 4.0-9.0mm VF DC auto iris, 12Vdc, 150mA	AMD-LVDKS	59,00	
amadeo	Kolor antivandal dome kamera, 480TVL, 1/3" CCD Sony , 1,0 lux, sa optikom 4.0-9.0mm VF DC auto iris, 12Vdc, 150mA	AMD-LVDKSH	79,00	
amadeo	Kolor antivandal dome kamera, 540TVL, 1/3" CCD Sony , 0,1 lux, sa optikom 4.0-9.0mm VF DC auto iris, 12Vdc, 150mA	AMD-LVDKSHQ	89,00	
amadeo	Kolor antivandal dome kamera, 540TVL, 1/3" CCD Sony , 0,001Lux, sa optikom 4.0-9.0mm VF DC auto iris, 12Vdc, 150mA	AMD-LVDKSHL	99,00	
Video Sec	Kolor(Day)-B/W(Night) dome unutrašnja kamera visoke rezolucije, 560TVL, 1/3" Sony CCD, 0,2 lux, ugrađen OSD menu, detektor pokreta, Sens-Up x 256, BLC, štedi 70% prostora prilikom snimanja, 12Vdc, 150mA	VDS-HD-705	93,00	
Video Sec	Kolor(Day)-B/W(Night) antivandal dome kamera, 560TVL, 1/3" CCD Sony, 0,3 lux, sa optikom 3.5-8.0mm VF DC auto iris, OSD, Motion detection, 64 Zone BLC. Privacy masking, 12Vdc, 130m	VDS-AHDV-705	121,00	
APRO	Kolor(Day)-B/W(Night) antivandal dome kamera, 540TVL, 1/3" CCD Sony Super-HAD, 0,002 lux, sa optikom 2.8-11.0mm VF DC auto iris, OSD, DNR(Digital Noise Reduction) 12VDC ,150mA	APR-PRO-7120SR	141,70	
Video Sec	Kolor(Day)-B/W(Night) antivandal dome kamera, 580TVL, 1/3" Samsung W4 CCD, 0,15 lux, sa optikom 2.8-11.0mm VF DC auto iris, Super DNR, detektor pokreta, Privacy Masking, BLC, HLC, štedi 70% prostora prilikom snimanja, 12Vdc, 150mA	VDS-AHDV-906	166,00	
APRO	Kolor(Day)-B/W(Night) antivandal dome kamera, 540TVL, 1/3" CCD Sony Super-HAD, 0,002 lux, sa optikom 5.0-50.0mm VF DC auto iris, OSD, DNR(Digital Noise Reduction) 12VDC ,200mA	APR-D5500SR/50	280,00	
Honeywell	Kolor(Day)-B/W(Night) dome kamera, 550TVL, 1/3" CCD Sony, 0,002 lux, sa optikom 4.0-9.0mm VF DC auto iris, ugrađen OSD menu, detektor pokreta, Privacy zone masking, mirror function, DNR, BLC, 12VDC	HON-HDC-690PV	225,00	
Honeywell	Kolor(Day)-B/W(Night) antivandal dome kamera, 530TVL, 1/3" CCD Sony, 0,3 lux, sa optikom 3.8mm, 12VDC	HON-HD50	133,00	
Honeywell	Kolor(Day)-B/W(Night) antivandal dome kamera, 550TVL, 1/3" CCD Sony, 0,3 lux, sa optikom 4.0-9.0mm VF DC auto iris, 12VDC	HON-HD51	210,00	

Kamere sa IC iluminatorima sa optikom

amadeo	Kolor vodootporna antivandal dome kamera, 23 IC iluminatora, 420TVL, 1/3" CCD Sony, 0,00 lux, BLC, AWB, sa optikom 3.6mm, domet IR iluminatora 20m, crno kućište, 12Vdc,250mA	AMD-LIRDBS	49,00	
amadeo	Kolor vodootporna antivandal dome kamera, 23 IC iluminatora, 480TVL, 1/3" CCD Sony, 0,00 lux, BLC, AWB, sa optikom 3.6mm, domet IR iluminatora 20m, crno kućište, 12Vdc,250mA	AMD-LIRDBSH	64,00	
amadeo	Kolor vodootporna antivandal dome kamera, 23 IC iluminatora, 540TVL, 1/3" CCD Sony, 0,00 lux, BLC, AWB, sa optikom 3.6mm, domet IR iluminatora 20m, crno kućište, 12Vdc, 250mA	AMD-LIRDBSHQ	79,00	
amadeo	Kolor vodootporna antivandal dome kamera, 36 IC iluminatora, 420TVL, 1/3" CCD Sony, 0,00 lux, BLC, AWB, sa optikom 4-9mm VF, domet IR iluminatora 30m, 12Vdc, 250mA	AMD-LIRDCS	69,00	
amadeo	Kolor vodootporna antivandal dome kamera, 36 IC iluminatora, 480TVL, 1/3" CCD Sony, 0,00 lux, BLC, AWB, sa optikom 4-9mm, domet IR iluminatora 30m, crno kućište, 12Vdc,250mA	AMD-LIRDCSH	79,00	
amadeo	Kolor vodootporna antivandal dome kamera, 36 IC iluminatora, 540TVL, 1/3" CCD Sony, 0,00 lux, BLC, AWB, sa optikom 4-9mm, domet IR iluminatora 30m, crno kućište, 12Vdc,250mA	AMD-LIRDCSHQ	89,00	
amadeo	Kolor vodootporna antivandal dome kamera, 36 IC iluminatora, 550TVL, 1/3" CCD Sony, 0,00 lux, BLC, AWB, sa optikom 4-9mm VF, domet IR iluminatora 30m, crno kućište, 12Vdc, 250mA	AMD-LIRDCSHS	109,00	
Honeywell	Kolor(Day)-B/W(Night) antivandal dome kamera, 18 IC iluminatora, 550TVL, 1/3" Sony super HAD CCD, 0,00 lux, sa optikom 3.6 ili 6.0mm ,BLC, 12VDC	HON-HDC-505PI	218,00	

	Kolor(Day)-B/W(Night) vodootporna kamera, bullet metalno kućište sa prolazom kablova kroz nosač, sanšild, 23 IC iluminatora, 420TVL, 1/3" Sony CCD, 0.00 lux, sa optikom 3.6mm, sa nosačem, domet IR iluminatora 20m, 12Vdc, 250mA	LICE24NS	39,90	
	Kolor(Day)-B/W(Night) vodootporna kamera, bullet metalno kućište, sanšild, 36 IC iluminatora, 420 TVL, 1/3" Sony CCD, 0.00 lux, sa optikom 4-9mm VF, sa nosačem, domet IR iluminatora 30m, 12Vdc, 300mA	AMD-LIT40ES	69,00	
	Kolor(Day)-B/W(Night) vodootporna kamera, bullet metalno kućište, sanšild, 36 IC iluminatora, 480 TVL, 1/3" Sony CCD, 0.00 lux, sa optikom 4-9mm VF, sa nosačem, domet IR iluminatora 30m, 12Vdc, 300mA	AMD-LIT40ESH	89,00	
	Kolor(Day)-B/W(Night) vodootporna kamera, bullet metalno kućište, sanšild, 36 IC iluminatora, 540 TVL, 1/3" Sony CCD, 0.00 lux, sa optikom 4-9mm VF, sa nosačem, domet IR iluminatora 30m, 12Vdc, 300mA	AMD-LIT40ESHQ	99,00	
	Kolor(Day)-B/W(Night) vodootporna kamera, bullet metalno kućište, sanšild, 36 IC iluminatora, 550 TVL, 1/3" Sony CCD, 0.00 lux, sa optikom 4-9mm VF, sa nosačem, domet IR iluminatora 30m, 12Vdc, 300mA	AMD-LIT40ESHS	119,00	
	Kolor(Day)-B/W(Night) TDN (ICR) vodootporna bullet kamera, 21 IC iluminator, 540TVL, 1/3" CCD Sony Super-HAD, 0.00 lux, sa optikom 3.3-12.0mm VF DC auto iris, domet IR iluminatora 25m, OSD, DNR(Digital Noise Reduction) 12Vdc, 500m	APR-PRO-5912SR	213,70	
	Kolor(Day)-B/W(Night) vodootporna bullet kamera, 54 IC iluminatora, 560TVL, 1/3" CCD Sony , 0.00 lux, sa optikom 2.8-11.0mm VF DC auto iris, OSD, Privacy masking, 12Vdc	VDS-IRW-754	265,00	
Mini i bullet kamere sa optikom				
	Kolor DSP minikamera, 420TVL, 1/3" Sony CCD, 0.6lux, sa optikom 3.6mm i zglobnim nosačem, 12VDC-120mA	VDS-B-301	60,00	
	Kolor(Day) - B/W(Night) DSP minikamera, 560TVL, 1/3" Sony CCD , 0.2lux, sa optikom 3.6mm i zglobnim nosacem, 12VDC-85mA	VDS-HB-705	87,00	
Wide Dynamic range kamere bez optike				
	Kolor WDR kamera visoke rezolucije 520TVL, 1/3 Pixim, 0.002lux, 10bit DSP, 12Vdc	APR-C4000WDR	206,30	
	Wide Dynamic range kolor box kamera, 1/3" CCD, 600TVL Color / 700TVL B/W, 0,03Lux/F1,2 Color- 0,00019Lux/F1,2 (B/W), DC Auto iris, RS-485, HLC, DNR, digital Zoom, OSD menu, Motion detection, 12VDC-140mA	VDS-C805-WDR	131,00	
	Wide Dynamic range kolor antivandal dome kamera 540TVL, 1/3" Pixim solution CCD 0,5lux, sa optikom VF 2.9-11.0mm DC auto iris, OSD, 12Vdc, 600mA	APR-D7100WDR	265,20	
	Wide Dynamic range kolor unutrašnja dome kamera 540TVL, 1/3" Pixim solution CCD 0,5lux, sa optikom VF 3.3-12.0mm DC auto iris, 12Vdc, 600mA	APR-D1224WDR	228,40	
	Wide Dynamic range kolor kamera, 1/3" SONY CCD+ SAMSUNG S-V4 DSP, 560TVL Color / 600TVL, 0,3 Lux Color, DC Auto iris, DNR, DIS, digital zoom 10x, OSD menu, motion detection, TAMRON filter changeable mechanism, 24VAC/12VDC-200mA	VDS-WDR-SV4	299,00	
	Kolor(Day)-B/W(Night) powerful wide dynamic range kamera, 1/3" double scan color CCD, 480TVL, 0,001 Lux ,IR Cut filter, DNR, digital Zoom 2.5x, OSD menu, Motion detection, Privacy zone masking,RS485, 24VAC/12VDC	HON-HCC-745PTW-VR	370,00	
Speed Dome Kamere i prateca oprema				
	Kolor(Day)-B/W(Night) High Speed -Dome kamera u kucištu za spoljnu montažu sa zidnim nosacem, 520TVL/570TVL B/W, 1/4" SONY CCD, 0.07/0.02 lux, 10x optički zoom f=3.8-38.00mm, 24 Privacy masking zones, IP-67, RS-485, sa napajanjem 24VAC, 3A	VDS-WSPD-10AF	745,00	
	Kolor(Day)-B/W(Night) High Speed -Dome kamera u kucištu za spoljnu montažu sa zidnim nosačem, 520TVL, 1/4" SONY CCD, 0.01 lux, 18x optički zoom f=4.1-73.80mm, 24 Privacy Masking zones, IP-67, RS-485, sa napajanjem 24VAC, 3A	VDS-WSPD-18X	999,00	
	Kolor(Day)-B/W(Night) High Speed -Dome kamera u kucištu za spoljnu montažu sa zidnim nosacem, 520TVL, 1/4" SONY CCD, 0.01 lux, 26x optički zoom f=3.5-91.00mm, 24 Privacy Masking zones, IP-67, RS-485, sa napajanjem 24VAC, 3A	VDS-WSPD-26SP	1.360,00	
	Super wide Dynamic range kolor(Day)-B/W(Night) High Speed -Dome kamera u kucištu za spoljnu montažu sa zidnim nosacem, 540TVL, 1/4" Sony CCD - HITACHI DSP, 0.01 lux, 35x optički zoom f=3.4-119.00mm, 12x digitalni zoom, RS-485, sa napajanjem 24VAC, 3A	VDS-WSPD-35WDR	1.580,00	



Kolor(Day)-B/W(Night) High Speed -Dome kamera u kućištu za spoljnu montažu sa zidnim nosačem, 520TVL, 1/4" Sony CCD, 0.01 lux, 26x optički zoom f=3.5-91.00mm, RS-485, sa napajanjem 24VAC, 3A

VDS-WSPD-36P

1.450,00



Upravljačko-kontrolna tastatura sa 3 Axis džojstikom za kontrolu: DVRs, Speed Dome cameras, CMS Software etc..RS232, RS-485 and LAN (Network) connections.IP address, port, protocol, LCD displej 84mmx31mm

VDS- RS485-LAN

666,00



IP kamere i prateća oprema



Kolor(Day)-B/W(Night) High Speed -Dome kamera u kućištu za spoljnu montažu sa zidnim nosačem, 480TVL, 1/4" Sony Super Had CCD, 0.01 lux, 22x optički zoom f= 4,0-88,0mm, programiranje 128 zadatih položaja, 24VAC

APR-IP-C4000SR

353,70



IP kolor dome kamera visoke rezolucije: 1/3" Sony Super HAD CCD; 540 TVL; 0.002lux; optika 3-9mm DC auto iris; MPEG-4 kompresija; Frame rate 25, 12, 8, 7, 6, 8, 4, 3, 2, 1 fps.; DC12V

APR-IP-D7100SR

427,30



IP kolor kamera visoke rezolucije: 1/3" Sony Super HAD CCD; 530 TVL; 0.002lux; optika 5-50mm; MPEG-4 kompresija; Frame rate 25, 12, 8, 7, 6, 8, 4, 3, 2, 1 fps.; DC12V-0.5A

APR-IP-5012SR

607,00



IP Day/Night Mini Speed-dome kamera visoke rezolucije: 1/4" Sony HAD CCD; 520TVL; 0.002lux; Zoom 3.8-38mm auto focus auto PT; MPEG-4 kompresija; Frame rate 25, 12, 8, 7, 6, 8, 4, 3, 2, 1 fps.;12VDC

APR-IP-8777Z

729,40



IP kolor box kamera 1/3" Sony CCD, 420TVL, 0.002 lux, MPEG-4, podrzava D1 rezoluciju, CS Mount Lens, Remote snapshot and video recording, 12 Vdc

AMD-LNCBS

169,00



IP kolor IR bullet kamera 1/3" Sony CCD, 420TVL, 0.002 lux, MPEG-4 podrzava D1 rezoluciju, optika 8mm, 26 IC iluminatora, Remote snapshot and video recording, IP66, 12 Vdc

AMD-LNIT40ES

219,00



IP kolor speed dome IR kamera 1/3" Sony CCD, 420TVL, 0.002 lux, MPEG-4, podrzava D1 rezoluciju, optika 6mm, 24 IC iluminatora, Remote snapshot and video recording, IP66, 12 Vdc

AMD-LNBIR24S

249,00



Optike



Mini optika 1.78mm (170 stepeni) fiksni iris 1/3", F2.0

RCM-LB-178

25,10



Mini optika 2.5 mm fiksni iris 1/3", F2.0

RCM-LB-25

13,10



Mini optika 2.8 mm fiksni iris 1/3", F2.0

RCM-LB-28

20,10



Mini optika fiksni iris 1/3" 6, 8, 12 i 16mm

RCM-LB

8,70



2.8 mm fiksni iris 1/3", F2.0

RCM-LC-028

24,10



Optika fiksni iris 1/3" 4, 6, 8, 12 i 16mm

RCM-LC

11,60



2.8-12mm vari-fokal, rucni iris 1/3", F1.4

RCM-02812M

34,70



3.5-8mm vari-fokal, rucni iris 1/3", F1.4

RCM-0358M

20,20



6-15 mm vari-fokal, rucni iris 1/3", F1.6

RCM-0615M

23,10



12-30mm vari-fokal, rucni iris 1/3", F1.4

RCM-1230M

40,50



6-60mm vari-fokal, rucni iris 1/3", F1.4 - C

RCM-0660M

50,10



5-100mm vari-fokal, rucni iris 1/3", F1.2

RCM-05100M

92,50



RICOM	2.8-12 mm vari-fokal, DC drive auto iris 1/3", F1.4 - 360	RCM-02812A	46,20	
RICOM	3.5-8mm vari-fokal, DC drive auto iris 1/3", F1.4 - 360	RCM-0358A	27,00	
RICOM	6-15mm vari-fokal, DC drive auto iris 1/3", F1.4 - 360	RCM-0615A	30,80	
RICOM	12-30 mm vari-fokal, DC drive auto iris 1/3", F1.4 - 360	RCM-1230A	55,90	
RICOM	6-60 mm vari-fokal, DC drive auto iris 1/3", F1.2 - 360	RCM-6060A	65,50	
RICOM	5-100mm vari-fokal, DC drive auto iris 1/3", F1.4 - 360	RCM-05100A	106,00	
FUJINON FUJIFILM	2.8- 8mm vari-fokal, DC drive auto iris 1/3", F0.95 -FUJINON - High ResolutionAspherical - with ND Filter	VDS-YV28x28LA-SA2	43,00	
Honeywell	2.8-8.0 mm vari-fokal, DC drive auto iris 1/3", F0.95	HON-HLD28V8F95L	49,99	
Honeywell	3.5-8.0 mm vari-fokal, DC drive auto iris 1/3", F0.95	HON-GL-D35V80CS	59,99	
Honeywell	4.0-16.0 mm vari-fokal, DC drive auto iris 1/3", F0.95	HON-GL-D40V160CS	85,99	
Honeywell	2.9-8.0 mm vari-fokal, DC drive auto iris, za D/N kamere, color&IR corrected, 1/3", F1.3	HON-HLD29V8DNL	79,99	
Honeywell	2.7-13.5mm vari-fokal, DC drive auto iris, za D/N kamere, color&IR corrected, 1/3", F1.3	HON-HLD2713DNL	89,99	

Digitalni video rikorderi / multiplekseri

	DVR za 4 kanala bez hard diska, Triplex, podržava 1xSATA HDD, brzina prikaza/snimanja 100/100fps, H.264 kompresija, detektor pokreta, mrezna kartica, USB, video I VGA izlazi, daljinski upravljač	MRD-HIR-04	265,00	
	DVR za 9 kanala bez hard diska, Triplex, podržava 3xSATA HDD, brzina prikaza/snimanja 225/100fps, H.264 kompresija, detektor pokreta, mrezna kartica, USB, video I VGA izlazi, daljinski upravljač	MRD-HIR-09	529,00	
	DVR za 16 kanala bez hard diska, Triplex, podržava 3xSATA HDD, brzina prikaza/snimanja 400/100fps, H.264 kompresija, detektor pokreta, mrezna kartica, USB, video I VGA izlazi, daljinski upravljač	MRD-HIR-1604	569,00	
Video Sec	DVR za 4 kanala bez hard diska, Pentaplex, podržava 1xSATA HDD, brzina prikaza/snimanja 100fps, H.264 kompresija, detektor pokreta, PTZ kontrola, mrezna kartica, USB, IP network video server, video, HDMI i VGA izlazi, MSS, daljinski upravljač	VDS-0404-LEA	295,00	
Video Sec	DVR za 8 kanala bez hard diska, Pentaplex, podržava 1xSATA HDD, brzina prikaza/snimanja 200fps, H.264 kompresija, detektor pokreta, PTZ kontrola, mrežna kartica, 2xUSB, IP network video server, video, HDMI i VGA izlazi, MSS, daljinski upravljač	VDS-0804-LEA	578,20	
Video Sec	DVR za 16 kanala bez hard diska, Pentaplex, podržava 4x SATA HDD, brzina prikaza/snimanja 400fps, H.264 kompresija, detektor pokreta, PTZ kontrola, mrežna kartica, 2xUSB, IP network video server, video, HDMI i VGA izlazi, MSS, daljinski upravljač	VDS-1604-LEA	724,70	
Video Sec	DVR za 8 kanala bez hard diska, Pentaplex, podržava 4xSATA HDD, brzina prikaza/snimanja 200fps (CIF), H.264 kompresija, detektor pokreta, PTZ kontrola, mrežna kartica, 2xUSB, IP network video server, video, HDMI i VGA izlazi, MSS, daljinski upravljač	VDS-DVR-08LES	739,00	
Video Sec	DVR za 16 kanala bez hard diska, Pentaplex, podržava 4x SATA HDD, brzina prikaza/snimanja 400fps (CIF), H.264 kompresija, detektor pokreta, PTZ kontrola, mrežna kartica, 2xUSB, IP network video server, video, HDMI i VGA izlazi, MSS, daljinski upravljač	VDS-DVR-16LES	899,00	
Video Sec	DVR za 8 kanala bez hard diska, Pentaplex, podržava 8x SATA HDD, brzina prikaza/snimanja 400fps D1, H.264 kompresija, detektor pokreta, PTZ kontrola, mrežna kartica, 2xUSB, IP network video server, video, HDMI i VGA izlazi, MSS, daljinski upravljač	VDS-DVR-08HET	1.399,00	
Video Sec	DVR za 16 kanala bez hard diska, Pentaplex, podržava 8x SATA HDD, brzina prikaza/snimanja 400fps D1, H.264 kompresija, detektor pokreta, PTZ kontrola, mrežna kartica, 2xUSB, IP network video server, video, HDMI i VGA izlazi, MSS, daljinski upravljač	VDS-DVR-16HET	1.699,00	





















Video	Mobilni Real Time DVR za 4 kanala, Pentaplex, podržava max. 1 x 2.5"-HDD + 2xSD Card za Back-Up, brzina prikaza/snimanja 100fps (CIF), H.264 kompresija, detektor pokreta, PTZ kontrola, GPS sistem, GPS Antena, mrežna kartica, 4x audio, 2xUSB, IP network video server, video izlaz, daljinski upravljač, 12VDC~48VDC -15W	VDS-MG-DVR	650,00	
Video	Hard disk Seagate 500Gb za DVR uređaje	VDS-SATA501	111,00	
SAMSUNG	DVR - 4 kanala, prikaz 100fps, snimanje 100fps, MPEG-4, CD, web server detektor pokreta, audio, zum, alarmni ulazi, USB, HDD 250GB	SAM-SVR-450NWH250	725,00	
SAMSUNG	DVR - 9 kanala, snimanje 100fps - CIF, 50fps-2CIF, 25fps -704 x 576, kapacitet za dva unutrašnja HDDa, VGA, DVD, USB, HDD 250GB	SAM-SVR-940NWH250	1.550,00	
SAMSUNG	DVR - 16 kanala, prikaz 400fps, snimanje 400fps (CIF) / 100fps (D1), MPEG-4, DVD, web server detektor pokreta, audio, zum, alarmni ulazi, USB, VGA, daljinska komanda, kapacitet 2xHDD, ugrađen 250GB HDD	SAM-SVR-1645NWH250	1.899,00	
SAMSUNG	DVR - 16 kanala, prikaz 400fps, snimanje 400fps (CIF) / 100fps (D1), MPEG-4, DVD, web server, detektor pokreta, audio, zum, alarmni ulazi, USB, VGA, daljinska komanda, multistreaming, kapacitet 4xHDD, ugrađen 250GB HDD	SAM-SVR-1660NWH250	2.799,00	
SAMSUNG	DVR - 16 kanala, prikaz 400fps, snimanje 400fps (CIF) / 100fps (D1), MPEG-4, DVD, web server, detektor pokreta, audio, zum, alarmni ulazi, USB, VGA, daljinska komanda, multistreaming, kapacitet 4xHDD, ugrađen 250GB HDD	SAM-SVR-1660NWH500	2.870,00	
SAMSUNG	DVR - 16 kanala, prikaz 400fps, snimanje 400fps (D1), MPEG-4, DVD, web server detektor pokreta, audio, zum, alarmni ulazi, USB, VGA, daljinska komanda, multistreaming, kapacitet 4xHDD, ugrađen 250GB HDD	SAM-SVR-1680NWH250	3.699,00	
SAMSUNG	DVR - 32 kanala, prikaz 800fps, snimanje 800fps, MPEG-4, DVD, web server detektor pokreta, audio, zum, alarmni ulazi, USB, VGA, daljinska komanda, multistreaming, kapacitet 4xHDD, ugrađen 500GB HDD	SAM-SVR-3200NWH500	5.660,00	
Honeywell	DVR za 4 kanala sa hard diskom 250Gb, triplex, , brzina prikaza/snimanja 100/100fps u rezoluciji 704x576, MPEG4 kompresija, detektor pokreta, PTZ kontrola, mrežna kartica, 2xUSB,loop-trough video ulazi, RS485, RS232, video I VGA izlazi, software za daljinski pristup, administraciju i update uređaja, DVD-RW	HON-HRDP4D250X	1.065,00	
Honeywell	DVR za 8 kanala sa hard diskom 250Gb, triplex, , brzina prikaza/snimanja 200/100fps u rezoluciji 704x576, MPEG4 kompresija, detektor pokreta, PTZ kontrola, mrežna kartica, 2xUSB,loop-trough video ulazi, RS485, RS232, video I VGA izlazi, software za daljinski pristup, administraciju i update uređaja, DVD-RW	HON-HRDP8D250X	1.399,00	
Honeywell	DVR za 16 kanala sa hard diskom 250Gb, triplex, , brzina prikaza/snimanja 400/100fps u rezoluciji 704x576, MPEG4 kompresija, detektor pokreta, PTZ kontrola, mrežna kartica, 2xUSB,loop-trough video ulazi, RS485, RS232, video I VGA izlazi, software za daljinski pristup, administraciju i update uređaja, DVD-RW	HON-HRDP16D250X	1.649,00	
Honeywell	DVR za 4 kanala sa hard diskom 250Gb, triplex, , brzina prikaza/snimanja 100/100fps u rezoluciji 672x272, XstraStor compression tehnology, detektor pokreta, PTZ kontrola, mrežna kartica, 2xUSB,loop-trough video ulazi, 2 audio ulaza, RS485, RS232, video i VGA izlazi, software za daljinski pristup, administraciju i update uređaja, DVD-RW	HON-HRSD4F250X	1.140,00	
Honeywell	DVR za 8 kanala sa hard diskom 250Gb, triplex, , brzina prikaza/snimanja 200/100fps u rezoluciji 672x272, XstraStor compression tehnology, detektor pokreta, PTZ kontrola, mrežna kartica, 2xUSB,loop-trough video ulazi, 2 audio ulaza, RS485, RS232, video i VGA izlazi, software za daljinski pristup, administraciju i update uređaja, DVD-RW	HON-HRSD8C250X	2.128,00	
Honeywell	DVR za 16 kanala sa hard diskom 250Gb, triplex, , brzina prikaza/snimanja 400/100fps u rezoluciji 672x272, XstraStor compression tehnology, detektor pokreta, PTZ kontrola, mrežna kartica, 2xUSB,loop-trough video ulazi, 2 audio ulaza, RS485, RS232, video i VGA izlazi, software za daljinski pristup, administraciju i update uređaja, DVD-RW	HON-HRSD16C250X	2.869,00	
Honeywell	DVR za 16 kanala sa hard diskom 1TB, Honeywell FUSION III serija, brzina prikaza/snimanja 400/400fps u rezoluciji 720x480, MPEG4 kompresija, detektor pokreta, 16 alarmnih ulaza, 16 program. izlaza, 16 audio ulaza, IP network video server, PTZ kontrola, mrežna kartica, 6xUSB,loop-trough video ulazi, RS485, RS232, video i VGA izlazi, mogućnost integracije sa ANPR Automatic Number Plate Recognition i Honeywell intelligent video analytics; Active Alert®, Smart Impressions® or People Counter, software packages: user software, HFRVS(remote software), HFVMS(remote management software), DVD-RW	HON-HF1640R1T04	8.350,00	
Honeywell	DVR za 32 kanala sa hard diskom 1TB, Honeywell FUSION III serija, brzina prikaza/snimanja 800/400fps u rezoluciji 720x480, MPEG4 kompresija, detektor pokreta, 32 alarmna ulaza, 32 program. izlaza, 16 audio ulaza, IP network video server, PTZ kontrola, mrežna kartica, 6xUSB,loop-trough video ulazi, RS485, RS232, video i VGA izlazi, mogućnost integracije sa ANPR Automatic Number Plate Recognition i Honeywell intelligent video analytics; Active Alert®, Smart Impressions® or People Counter, software packages: user software, HFRVS(remote software), HFVMS(remote management software), DVD-RW	HON-HF3240R1T0A	11.700,00	



Video kartice za racunare

MagicRadar	PCB - DVR video kartica za racunar sa 4 ulaza, brzina prikaza 25fps, brzina snimanja 25fps, 1 audio ulaz	MRD-T04	91,00	
-------------------	--	---------	-------	--









	PCB - DVR video kartica za racunar sa 4 ulaza, brzina prikaza 100fps, brzina snimanja 100fps, 4 audio ulaza	MRD-CS04	168,00	
	PCB - DVR video kartica za racunar sa 8 ulaza, brzina prikaza 100fps, brzina snimanja 100fps, 4 audio ulaza	MRD-CS08	280,00	
	PCB - DVR video kartica za racunar sa 8 ulaza, brzina prikaza 200fps, brzina snimanja 200fps, 8 audio ulaza	MRD-CD08	420,00	
	PCB - DVR video kartica za racunar sa 16 ulaza, brzina prikaza 100fps, brzina snimanja 100fps, 4 audio ulaza	MRD-CS16	280,00	
	PCB - DVR video kartica za racunar sa 16 ulaza, brzina prikaza 200fps, brzina snimanja 200fps, 8 audio ulaza	MRD-CD16	420,00	
	PCB - DVR video kartica za racunar sa 16 ulaza, brzina prikaza 400fps, brzina snimanja 400fps, 16 audio ulaza	MRD-LL16	699,00	
	PCB - DVR video kartica za racunar sa 32 ulaza, brzina prikaza 800fps, brzina snimanja 400fps, 16 audio ulaza	MRD-LL32	980,00	
	Softverski paket MAGIC RADAR primenljiv za sve kartice. za monitoring do 16 kamera. Detekcija kretanja. Podešavanje, posmatranje, snimanje, pregledavanje.	MAGICRADAR	72,30	
	Softverski paket za MAGIC RADAR CENTRAL MONITORING. Primenljiv za monitoring do 64 nezavisnih lokacija. Posmatranje, snimanje, pregledavanje. Radi preko LAN, WAN, INTERNET mreže.	MDVR(1.0.0.0)	154,20	

Kolor Monitori

















	Kolor monitor 7,2" (130x205x28mm) LCD TFT 2 kanalni monitor, sa daljinskim, 12Vdc.	HIR-7TFA	192,70	
	Kolor monitor 3,5" LCD TFT audio + Service Kit (torbica, punjac akumulatora i akumulator)	HIR-M561LCD	267,80	
	Kolor LCD TFT monitor 17" (43cm) projekcija 4:3, VGA	AMD-LCD17VGA	148,00	
	Kolor LCD TFT monitor 19" (48cm) projekcija 16:9, VGA	AMD-LCD19VGA	143,00	
	Kolor LCD TFT monitor 20" (51cm) projekcija 16:9, VGA	AMD-LCD20VGA	156,00	
	Kolor LCD TFT monitor 22" (55cm) projekcija 16:9, VGA	AMD-LCD22VGA	175,00	
	Kolor LCD TFT monitor 17" (43cm) projekcija 4:3, VGA sa VGA-AV konvertorom(video ulaz)	AMD-LCD17VGA+AV	247,00	
	Kolor LCD TFT monitor 19" (48cm) projekcija 16:9, VGA sa VGA-AV konvertorom(video ulaz)	AMD-LCD19VGA+AV	242,00	
	Kolor LCD TFT monitor 20" (51cm) projekcija 16:9, VGA sa VGA-AV konvertorom(video ulaz)	AMD-LCD20VGA+AV	255,00	
	Kolor LCD TFT monitor 22" (55cm) projekcija 16:9, VGA sa VGA-AV konvertorom(video ulaz)	AMD-LCD22VGA+AV	274,00	

Honeywell	LCD PROFESSIONAL MONITORS, COLOUR, 17" L-SERIES, PAL/NTSC, VGA INPUT, VIDEO INPUT 1 (BNC), SXGA 1280 x 1024 Brightness, 300 cd/m2 • Contrast ratio, 500:1 • Response time, 8 ms • Analogue RGB (15-pin DB-type) input • 1 BNC and 1 RCA composite video input • Two built-in speakers	HON-HMLCD17LX	720,00	
Honeywell	LCD PROFESSIONAL MONITORS, COLOUR, 19" L-SERIES, PAL/NTSC, VGA INPUT, VIDEO INPUT 1 (BNC), SXGA 1280 x 1024 Brightness, 300 cd/m2 • Contrast ratio, 500:1 • Response time, 8 ms • Analogue RGB (15-pin DB-type) input • 1 BNC and 1 RCA composite video input • Two built-in speakers	HON-HMLCD19LX	825,00	












Bežični sistemi audio-video prenosa


	RF Predajnik 2,4GHz, osmokanalni Video/Audio, RF izlazne snage 2W. Antena (5dBm). Napajanje DC12V/1.5A	AMD-KW7305B	96,60	
	RF Prijemnik 2,4GHz, osmokanalni Video/Audio osetljivosti vece od -85dBm. Antena (5dBm). Napajanje DC12V/0.2A.	AMD-KW7302R	44,20	
	RF Predajnik 5,8GHz, sedmokanalni Video/Audio, RF izlazne snage 1W. Antena (2dBm). Napajanje DC12V/1.5A	AMD-KW5803	112,20	
	RF Prijemnik 5,8GHz, sedmokanalni Video/Audio osetljivosti vece od -85dBm. Antena (2dBm). Napajanje DC12V/0.2A.	AMD-KW5800	60,10	

Prenos video signala upredenom paricom

	Komplet za prenos video signala UTP kablom (prijemnik, predajnik i napajanje), max domet B/W 500m, color 250m	HIR-T860	38,50	
	Komplet za prenos video signala UTP kablom (prijemnik, predajnik i napajanje), max domet 500m	HIR-T870	78,70	
	Prijemnik za prenos video signala upredenom paricom, max domet B/W 600m, color 400m	HIR-202R	9,60	
	Predajnik za prenos video signala upredenom paricom, max domet B/W 600m, color 400m	HIR-202T	9,60	
	Prijemnik za prenos video signala UTP CAT5 kablom, max domet B/W 2400m, color 1800m	HIR-302R	62,60	
	Predajnik za prenos video signala UTP CAT5 kablom, max domet B/W 2400m, color 1800m	HIR-302T	62,60	
	Predajnik za prenos video signala UTP CAT5 kablom, cetvorokanalni, max domet B/W 2500m, color 2000m	HIR-401T	101,20	
	Prijemnik za prenos video signala UTP CAT5 kablom, cetvorokanalni, max domet B/W 2500m, color 2000m	HIR-401R	101,20	
	Prijemnik za prenos video signala UTP CAT5 kablom, šesnaestokanalni, max domet B/W 2500m, color 2000m	HIR-1610R	212,90	

Kucišta i nosaci

	Nosac kamere - plasticki	TSE-2XX	4,00	
	Nosac kamere - metalni	TSE-ZJ160	4,00	
	Nosac kamere - HR	HIR-ST	4,00	
Honeywell	Nosac kamere - Honeywell	HON-WBCLA	4,90	
	Nosac za dome kamere u srebrnoj boji	TSE-227	7,90	
	Nosac za dome kamere u srebrnoj boji dimenzije: 160x120x110	TSE-C105 Silver	7,90	

	Nosac za dome kamere u srebrnoj boji dimenzije:180x140x130	TSE-C125 Silver	9,10	
	Nosač za dome kamere u srebrnoj boji	VDS-ADB-150	9,80	
	Antivandal dome kucište	TSE-615	10,80	
	Spoljno kucište kamere bez grejaca	TSE-606	18,70	
	Grejac sa termostatom za kucište AL-606, 12VDC,24VAC i 220VAC	TSE-HK	5,10	
	Spoljno kucište kamere sa grejacem	TSE-606H	23,80	
	Spoljno kucište kamere sa grejacem i ventilatorom	TSE-606HB	26,10	
	Nosac za kucište AL-606	TSE-210	6,80	
	Spoljno kucište kamere sa grejacem, bocno otvaranje	TSE-624H	39,70	
	Spoljno kucište kamere sa grejacem - ABS plastika, bocno otvaranje	TSE-619H	30,60	
	Spoljno kucište kamere sa grejacem i ventilatorom - ABS plastika, bocno otvaranje	TSE-619HB	35,10	
	Spoljno kucište kamere sa grejacem i IC diodama - ABS plastika, bocno otvaranje	TSE-619HIR	44,20	
	Nosac kucišta kamere sa uvodnikom za maskiranje kablova za AL-624 i AL-619	TSE-208	9,10	
	Nosac kucišta kamere sa uvodnikom za maskiranje kablova za AL-624 i AL-619	TSE-209	10,20	
	Adapter za montažu nosaca kucišta na stub	TSE-218	5,70	
	Termostabilno spoljno kucište kamere "VERSO", 230VAC	HON-HPV42K	84,00	
	Nosac kucišta kamere sa uvodnikom za maskiranje kablova	HON-WBOV	23,30	
Ostali pribor i oprema				
	AV-VGA konvertor	HIR-VGA	102,00	
	Mikrofon za kameru sa predpocavacem u kucištu	HIR-MIC	16,30	
	Mikrofon za kameru sa predpocavacem	VDS-AM-02	9,90	
	Stabilizator napona 12V, 500mA	VDS-STI-5	9,90	
	Stabilizator napona 12V, 1000mA	AMD-STI-10	18,10	
	Stabilizator napona 12V, 3A	HIR-PS1230A	30,80	



Stabilisani izvor napajanja sa punjacom, 27,6V/ 2,5A.

HIR-PS2425A

44,90



Koaksijalni kabl

RG59-B/U Cu

0,60



Koaksijalni kabl

RG59/U

0,40



Mikro koaksijalni kabl (napajanje i video kabl) dužina 20m sa konektorima

AMD-L20DB

13,60



Mikro koaksijalni kabl (napajanje i video kabl) dužina 30m sa konektorima

AMD-L30DB

20,40



Mikro koaksijalni kabl (napajanje i video kabl) dužina 40m sa konektorima

AMD-L40DB

27,20



Mikro koaksijalni kabl (napajanje, video i audio kabl) dužina 20m sa konektorima

AMD-L20DBR

18,10



Mikro koaksijalni kabl (napajanje, video i audio kabl) dužina 30m sa konektorima

AMD-L30DBR

27,20



Mikro koaksijalni kabl (napajanje, video i audio kabl) dužina 40m sa konektorima

AMD-L40DBR

36,30

