

Telephone:  
Fax:  
BR. Registracione tablice:

**Name:** pisac - sam svoj majstor :-)

**Address:**

**Manufacturer:** Ford

**Model:**

**Year:**

**Registration:**

**Tel - Private:**

**Mileage:**

**Tel - Business:**

**Job number:**

**Tel - Mobile**

**Date**

A16	ABS control module
Y11	AC compressor clutch
S152	AC refrigerant high pressure switch
S153	AC refrigerant low pressure switch
B138	Accelerator pedal position (APP) sensor
G1	Alternator
31	Battery -
30	Battery +
S13-I	Brake pedal position (BPP) switch 1
S13-II	Brake pedal position (BPP) switch 2
B132	Camshaft position (CMP) sensor
S258	Clutch pedal position (CPP) switch
CAN-H	Controller area network (data bus) high
CAN-L	Controller area network (data bus) low
B54	Crankshaft position (CKP) sensor
B172	Cylinder head temperature (CHT) sensor
X1	Data link connector (DLC)
K46	Engine control (EC) relay
A35	Engine control module (ECM)
M6	Engine coolant blower motor
A95	Engine coolant blower motor control module
H63	Engine malfunction indicator lamp (MIL)
Y151	Exhaust gas recirculation (EGR) valve actuator
B149	Exhaust gas recirculation (EGR) valve position sensor
Y194	Fuel flow control valve
R112	Fuel heater
K138	Fuel heater relay
Y63	Fuel pressure regulator control solenoid
B186	Fuel rail pressure (FRP) sensor
B31	Fuel temperature sensor
F	Fuse
X28-I	Fuse box/relay plate, engine bay
X28-II	Fuse box/relay plate, fascia
R5	Glow plug
K22	Glow plug relay

**Manufacturer:** Ford

**Model:** Focus ('04/'08) 1,8D TDCi

© Autodata Limited 2008

**Engine code:** KKDA

**Output:** 85 (115) 3700

4/30/2011


**Tuned for:**

**Year:** 2004-09

V7 412-ENGH649115

**/Autodata**

H25	Glow plug warning lamp
15	Ignition switch - ignition ON
50	Ignition switch - start signal
Y3	Injector
A5	Instrument panel
A75	Instrumentation control module
B25	Intake air temperature (IAT) sensor
B69	Knock sensor (KS)
B83	Manifold absolute pressure (MAP) sensor
B30	Mass air flow (MAF) sensor
M1	Starter motor
K4	Starter motor relay
P7	Tachometer
B193	Turbocharger (TC) boost air temperature sensor
Y217	Turbocharger (TC) vane position actuator
P9	Vehicle speedometer
B21	Wheel speed sensor
K256	Wide open throttle (WOT) relay



bl = blue	br = brown	el = cream	ge = yellow
gn = green	gr = grey	nf = neutral	og = orange
rs = pink	rt = red	sw = black	vi = violet
ws = white	hbl = light blue	hgn = light green	rbr = maroon
x = braided cable	y = high tension	z = non-cable connection	

**NOTE:** In certain diagrams (Citroen, Peugeot & Renault), colour codes are replaced by numbers which are used to identify a particular cable and not the colour. In this instance, the cables will be numbered at each end close to the harness connector.

