

**PANASONIC X70 PIN OUT**

**KEYBORD UP**

**[] 1 2 [] 1 2 3 4 5 6 7 8 9 10 11 12 []**

- 12 GND**
- 11 RX PHONE**
- 10 TX PHONE**

**NORMAL RS232 DATA CABLE 3 VOLT INTERFACE  
FOR CONECTOR USE ALCATEL OT320 OR MOTOROLA V66 JUST NEEDE TO MODIFY IT**

\*\*\*\*\*

**MAXON 79XX AND O2X1 PIN OUT FOR GRIFFIN LOGER**

**KEYBOADR UP**

**1.....12**

- 1+ 12 - GND**
- 10 - Tx**
- 11 - Rx**

**NORMAL RS232 DATA CABLE 3 VOLT INTERFACE**

-----


**How to enter the codes on Maxon**

- #9917\* 1\* code 1# OK**
- #9917\* 2\* code 2# OK**
- #9917\* 3\* code 2# OK**
- #9917\* 4\* code 2# OK**

**all this with sim inside**

\*\*\*\*\*

### PANASONIC X60/X66 CABLE FOR GRIFFIN



\*\*\*\*\*

### SHARP GX30 TM100 PIN OUT FOR GRIFFIN LOGER



\*\*\*\*\*

**For Griffin server use standard LG cables (from phone package).**

\*\*\*\*\*